

## 15 dBi Gain, 49.8-75.8 GHz, WR15 Standard Gain Horn with UG385/U Flange

Rev 1


### Electrical

Frequency Range	49.8-75.8 GHz
Norminal Gain	15 dBi
Polarization	Linear
VSWR	1.2 max
3dB Beamwidth	H-Plane: 20.7~29.5 deg, E-Plane: 20.7~30.2 deg
Operating Temperature	-40°C~+70°C


### Mechanical

Waveguide Size	WR15
Flange Type	UG385/U Round Cover Flange
Body Material and Finish	Copper, Gold Plated


### Dimensions(mm)




## Typical Return Loss



## Gain




# Simulated Antenna Patterns



### 56GHz H-Plane

Farfield Directivity Abs (Phi=0)




Theta / Degree vs. dBi

farfield (f=56) [1]

Frequency = 56  
 Main lobe magnitude = 16.6 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 26.6 deg.  
 Side lobe level = -23.3 dB

### 56GHz E-Plane

Farfield Directivity Abs (Phi=90)




Theta / Degree vs. dBi

farfield (f=56) [1]

Frequency = 56  
 Main lobe magnitude = 16.6 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 27.9 deg.  
 Side lobe level = -14.5 dB

### 58GHz H-Plane

Farfield Directivity Abs (Phi=0)




Theta / Degree vs. dBi

farfield (f=58) [1]

Frequency = 58  
 Main lobe magnitude = 16.9 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 25.5 deg.  
 Side lobe level = -23.4 dB

### 58GHz E-Plane

Farfield Directivity Abs (Phi=90)




Theta / Degree vs. dBi

farfield (f=58) [1]

Frequency = 58  
 Main lobe magnitude = 16.9 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 26.7 deg.  
 Side lobe level = -13.2 dB

### 59GHz H-Plane

Farfield Directivity Abs (Phi=0)




Theta / Degree vs. dBi

farfield (f=59) [1]

Frequency = 59  
 Main lobe magnitude = 17.0 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 25.1 deg.  
 Side lobe level = -23.6 dB

### 59GHz E-Plane

Farfield Directivity Abs (Phi=90)




Theta / Degree vs. dBi

farfield (f=59) [1]

Frequency = 59  
 Main lobe magnitude = 17.0 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 26.3 deg.  
 Side lobe level = -13.0 dB

### 60GHz H-Plane

Farfield Directivity Abs (Phi=0)




Theta / Degree vs. dBi

farfield (f=60) [1]

Frequency = 60  
 Main lobe magnitude = 17.1 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 24.9 deg.  
 Side lobe level = -23.7 dB

### 60GHz E-Plane

Farfield Directivity Abs (Phi=90)




Theta / Degree vs. dBi

farfield (f=60) [1]

Frequency = 60  
 Main lobe magnitude = 17.1 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 26.0 deg.  
 Side lobe level = -13.0 dB


### 64GHz H-Plane



farfield (f=64) [1]

Frequency = 64  
 Main lobe magnitude = 17.7 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 23.5 deg.  
 Side lobe level = -23.9 dB


### 64GHz E-Plane



farfield (f=64) [1]

Frequency = 64  
 Main lobe magnitude = 17.7 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 24.5 deg.  
 Side lobe level = -13.6 dB


### 68GHz H-Plane



farfield (f=68) [1]

Frequency = 68  
 Main lobe magnitude = 18.1 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 22.4 deg.  
 Side lobe level = -23.3 dB


### 68GHz E-Plane



farfield (f=68) [1]

Frequency = 68  
 Main lobe magnitude = 18.1 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 22.5 deg.  
 Side lobe level = -11.9 dB


### 72GHz H-Plane



farfield (f=72) [1]

Frequency = 72  
 Main lobe magnitude = 18.6 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 21.2 deg.  
 Side lobe level = -22.8 dB


### 72GHz E-Plane



farfield (f=72) [1]

Frequency = 72  
 Main lobe magnitude = 18.6 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 21.7 deg.  
 Side lobe level = -14.1 dB


### 75.8GHz H-Plane



farfield (f=75.8) [1]

Frequency = 75.8  
 Main lobe magnitude = 18.5 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 20.7 deg.  
 Side lobe level = -22.7 dB

### 75.8GHz E-Plane



farfield (f=75.8) [1]

Frequency = 75.8  
 Main lobe magnitude = 18.5 dBi  
 Main lobe direction = 0.0 deg.  
 Angular width (3 dB) = 20.7 deg.  
 Side lobe level = -22.7 dB